

# ERM Environmental Resources Management

Boring/Well No.: B-7R

Project: HC Drew Manual Estate 15 No. 1 Project No.: 0494259

Location: Calcasieu Parish, Louisiana Coordinates: UTM 15N 454017, 3340272

Surface Elev.: NM Boring T.D.: 20' Boring Dia.: 3.25"


Date Started: 9/8/2021 Date Completed: 9/8/2021 Well Dia./Materials: NA

Drilling Company: Walker-Hill Environmental Driller: Jacob Stocksdale

Drilling Method: Direct Push Geoprobe Grouting Method: Portland Cement

Logged by: Michael Goodman, GIT Soil Sample Method: Acetate Liner

DEPTH (FEET)	LITHOLOGY (GRAPHIC LOG)	SAMPLE RECOVERY (FEET/FEET)	FIELD EC (mS/cm)	PID (PPMV)	DESCRIPTION INTERVAL (FEET)	SOIL DESCRIPTION
0		2.5/4.0	Top: 0.84 Bottom: 1.44	0-2: 0.0 2-4: 0.0	0-4	0-2.5': CLAY: Dark gray (10YR 4/1), medium, dry, plastic, no odor, pale brown (10YR 6/3) from 1.9-2.5'  2.5-4': NO RECOVERY
5		4.0/4.0	Top: 1.25 Middle: 1.40 Bottom: 1.11	4-6: 0.0 6-8: 0.0	4-8	4-8': CLAY: Grayish brown (10YR 5/2), stiff, dry, no odor, yellow mottling and Mn streaks, poorly sorted silty clay at bottom 2'
10		4.0/4.0	Top: 0.34 Middle: 0.93 Bottom: 2.91	8-10: 5.6 10-12: 0.4	8-12	8-8.5': CLAY: Grayish brown (10YR 5/2), stiff, dry, no odor, yellow mottling and Mn streaks 8.5-9.5': SILTY SAND: Dark gray (10YR 4/1), loose, wet to moist, no odor 9.5-10.2': SILTY SAND: Light yellowish brown (10YR 6/4), loose, wet 10.2-12': SILTY CLAY: Pale brown (10YR 6/3), stiff, moist, no odor
15		4.0/4.0	Top: 3.20 Middle: 2.64 Bottom: 2.57	12-14: 0.1 14-16: 0.0	12-16	12-15': CLAY: Light yellowish brown (10YR 6/4), soft, poorly sorted, no odor, light gray and yellow patches  15-16': CLAY: Light yellowish brown (10YR 6/4), stiff, poorly sorted, no odor, light gray and yellow patches
20		4.0/4.0	Top: 2.38 Middle: 2.59 Bottom: 2.52	16-18: 0.0 18-20: 0.0	16-20	16-20': CLAY: Grayish brown (10YR 5/2), stiff to very stiff, dry, high plasticity, no odor, reddish mottling, CaCO <sub>3</sub> nodules at 18.5'
25						
30						



# ERM Environmental Resources Management

Boring/Well No.: B-12R

Project: HC Drew Manual Estate 15 No. 1 Project No.: 0494259

Location: Calcasieu Parish, Louisiana Coordinates: UTM 15N 454059, 3340275

Surface Elev.: NM Boring T.D.: 8' Boring Dia.: 3.25"


Date Started: 9/8/2021 Date Completed: 9/8/2021 Well Dia./Materials: NA

Drilling Company: Walker-Hill Environmental Driller: Jacob Stocksdale

Drilling Method: Direct Push Geoprobe Grouting Method: Portland Cement

Logged by: Michael Goodman, GIT Soil Sample Method: Acetate Liner

DEPTH (FEET)	LITHOLOGY (GRAPHIC LOG)	SAMPLE RECOVERY (FEET/FEET)	FIELD EC (mS/cm)	PID (PPMV)	DESCRIPTION INTERVAL (FEET)	SOIL DESCRIPTION
0		2.8/4.0	Top: 1.03 Bottom: 1.55	0-2.5: 0.0	0-4	0-0.9': GRAVEL: 0.9-2.8': CLAY: Very dark gray (10YR 3/1), stiff, dry, no odor, little silt  2.8-4': NO RECOVERY
5		4.0/4.0	Top: 1.51 Middle: 1.82 Bottom: 1.73	4-6: 0.0 6-8: 0.0	4-8	4-4.6': CLAY: Very dark gray (10YR 3/1), stiff, dry, no odor, little silt 4.6-8': CLAY: Light brownish gray (10YR 6/2), medium to stiff, dry, high plasticity, no odor, orange/yellow mottling
10						
15						
20						
25						
30						



# ERM Environmental Resources Management

Boring/Well No.: B-29R

Project: HC Drew Manual Estate 15 No. 1 Project No.: 0494259

Location: Calcasieu Parish, Louisiana Coordinates: UTM 15N 454060, 3340273

Surface Elev.: NM Boring T.D.: 13' Boring Dia.: 3.25"


Date Started: 9/9/2021 Date Completed: 9/9/2021 Well Dia./Materials: NA

Drilling Company: Walker-Hill Environmental Driller: Jacob Stocksdale

Drilling Method: Direct Push Geoprobe Grouting Method: Portland Cement

Logged by: Michael Goodman, GIT Soil Sample Method: Acetate Liner

DEPTH (FEET)	LITHOLOGY (GRAPHIC LOG)	SAMPLE RECOVERY (FEET/FEET)	FIELD EC (mS/cm)	PID (PPMV)	DESCRIPTION INTERVAL (FEET)	SOIL DESCRIPTION
0		2.9/4.0	Middle: 1.32 Bottom: 1.64	0-2: 0.1 2-4: 0.0	0-4	0-1.1': GRAVELLY FILL: 1.1-2.9': CLAY: Very dark gray (10YR 3/1), stiff, dry, no odor, very little silt content 2.9-4': NO RECOVERY
5		4.0/4.0	Top: 2.03 Middle: 2.13 Bottom: 2.03	4-6: 0.0 6-8: 0.0	4-8	4-6.8': CLAY: Grayish brown (10YR 5/2), stiff, dry, high plasticity, no odor, little silt near bottom 6.8-8': SILTY CLAY: Grayish brown(10YR 5/2), stiff, dry, no odor, Mn nodules/streaks
10		4.0/4.0	Top: 0.74 Middle: 0.98 Bottom: 1.33	8-10: 0.0 10-12: 0.0	8-12	8-9.5': SILTY CLAY: Grayish brown (10YR 5/2), stiff, moist, no odor, some sand 9.5-10.6': SILTY SAND: Brown (10YR 5/3), loose, wet, no odor 10.6-12': SILTY SAND: Yellowish brown (10YR 5/6), medium, moist, no odor, Mn nodules
		1.0/1.0	Top: 1.08	12-13: 0.0	12-13	12-13': SILTY SAND: Yellowish brown (10YR 5/6), medium, moist, no odor, Mn nodules
15						
20						
25						
30						



# ERM Environmental Resources Management

Boring/Well No.: MW-1

Project: HC Drew Manual Estate 15 No. 1 Project No.: 0494259

Location: Calcasieu Parish, Louisiana Coordinates: UTM 15N 454053.78, 3340330.65

Surface Elev.: 11.86' Boring T.D.: 16' Boring Dia.: 3.25"


Date Started: 9/7/2021 Date Completed: 9/7/2021 Well Dia./Materials: 1" Prepack PVC

Drilling Company: Walker-Hill Environmental Driller: Jacob Stocksdale

Drilling Method: Direct Push Geoprobe Grouting Method: Portland Cement

Logged by: Michael Goodman, GIT Soil Sample Method: Acetate Liner

DEPTH (FEET)	LITHOLOGY (GRAPHIC LOG)	WELL CONSTRUCTION	SAMPLE RECOVERY (FEET/FEET)	FIELD EC (mS/cm)	PID (PPMV)	DESCRIPTION INTERVAL (FEET)	SOIL DESCRIPTION
0			2.2/4.0	Top: 0.19 Bottom: 0.71	0-2: 0.1 2-4: 0.0	0-4	0-2.2': CLAY: (7.5YR 4/2), medium to soft, dry, plastic, no odor  2.2-4': NO RECOVERY
5			2.8/4.0	Top: 1.09 Bottom: 0.77	4-6: 0.0 6-8: 0.1	4-8	4-4.6': CLAY: soft, damp, carry down slop 4.6-5.2': CLAY: Brown (10YR 5/3), medium, dry, no odor 5.2-6.8': CLAYEY SILT: Light brownish gray (10YR 6/2), stiff, dry, no odor  6.8-8': NO RECOVERY
10			4.0/4.0	Top: 0.77 Middle: 0.27 Bottom: 1.16	8-10: 0.1 10-12: 0.1	8-12	8-8.9': SILTY CLAY: Pale brown (10YR 6/3) medium, no odor 8.9-9.4': SILT: Pale brown (10YR 6/3) loose, wet, no odor 9.4-10.1': SILTY SAND: Brownish yellow (10YR 6/6), loose, wet, no odor, very fine grain sand 10.1-12': CLAY: Light yellowish brown (10YR 6/4), medium, dry, no odor, wet silt at 10.6-10.7
15			4.0/4.0	Top: 1.66 Middle: 1.26 Bottom: 1.55	12-14: 0.1 14-16: 0.1	12-16	12-16': CLAY: Pale brown (10YR 6/3), medium to soft, moist, no odor, orange mottling
20							
25							
30							



# ERM Environmental Resources Management

Boring/Well No.: MW-2

Project: HC Drew Manual Estate 15 No. 1 Project No.: 0494259

Location: Calcasieu Parish, Louisiana Coordinates: UTM 15N 453984.58, 3340198.07

Surface Elev.: 12.02' Boring T.D.: 16' Boring Dia.: 3.25"


Date Started: 9/7/2021 Date Completed: 9/7/2021 Well Dia./Materials: 1" Prepack PVC

Drilling Company: Walker-Hill Environmental Driller: Jacob Stocksdale

Drilling Method: Direct Push Geoprobe Grouting Method: Portland Cement

Logged by: Michael Goodman, GIT Soil Sample Method: Acetate Liner

DEPTH (FEET)	LITHOLOGY (GRAPHIC LOG)	WELL CONSTRUCTION	SAMPLE RECOVERY (FEET/FEET)	FIELD EC (mS/cm)	PID (PPMV)	DESCRIPTION INTERVAL (FEET)	SOIL DESCRIPTION
0			3.7/4.0	Top: 1.10 Middle: 1.15 Bottom: 1.45	0-2: 0.1 2-4: 0.1	0-4	0-1': SILTY CLAY: Very dark grayish brown (10YR 3/2), medium, dry, plastic, no odor 1-3.7': CLAY: Brown (10YR 5/3), stiff, dry, plastic, orange and yellow mottling, no odor 3.7-4': NO RECOVERY
5			4.0/4.0	Top: 1.32 Middle: 1.37 Bottom: 1.57	4-6: 0.1 6-8: 0.2	4-8	4-8': CLAY: Grayish brown (10YR 5/2), medium to very soft, damp, plastic, no odor, yellow mottling, very little Mn nodules at bottom
10			4.0/4.0	Top: 0.82 Middle: 0.15 Bottom: 0.57	8-10: 0.1 10-12: 0.1	8-12	8-8.9': SILTY CLAY: Yellowish brown with gray (10YR 5/6), soft, damp, no odor 8.9-10.8': SILTY SAND: Brownish yellow (10YR 6/6), loose, wet, no odor 10.8-12': SILTY CLAY: Pale brown (10YR 6/3), stiff, damp, no odor
15			4.0/4.0	Top: 1.24 Middle: 1.25 Bottom: 1.77	12-14: 0.1 14-16: 0.0	12-16	12-16': SILTY CLAY: Brown (10YR 5/4), soft with some stiff zones, damp, plastic, poorly sorted, some Mn and CaCO3 nodules at 13.2'
20							
25							
30							



# ERM Environmental Resources Management

Boring/Well No.: MW-3

Project: HC Drew Manual Estate 15 No. 1

Project No.: 0494259

Location: Calcasieu Parish, Louisiana

Coordinates: UTM 15N 454076.85, 3340181.25

Surface Elev.: 12.03' Boring T.D.: 16' Boring Dia.: 3.25"


Date Started: 9/7/2021 Date Completed: 9/7/2021 Well Dia./Materials: 1" Prepack PVC

Drilling Company: Walker-Hill Environmental Driller: Jacob Stocksdale

Drilling Method: Direct Push Geoprobe Grouting Method: Portland Cement

Logged by: Michael Goodman, GIT Soil Sample Method: Acetate Liner

DEPTH (FEET)	LITHOLOGY (GRAPHIC LOG)	WELL CONSTRUCTION	SAMPLE RECOVERY (FEET/FEET)	FIELD EC (mS/cm)	PID (PPMV)	DESCRIPTION INTERVAL (FEET)	SOIL DESCRIPTION
0			2.7/4.0	Top: 0.74 Bottom: 1.50	0-2: 0.1 2-4: 0.0	0-4	0-1.6': CLAY: Very dark gray (10YR 3/1), medium, dry, no odor 1.6-2.7': CLAY: Pale brown (10YR 6/3), medium, dry, yellow mottling, mixed with gray organic material, slight odor 2.7-4': NO RECOVERY
5			3.7/4.0	Top: 1.51 Middle: 1.41 Bottom: 0.77	4-6: 0.0 6-8: 0.0	4-8	4-4.9': CLAY: Light grayish brown (10YR 6/2), medium, dry, no odor 4.9-5.6': SILTY CLAY: Light grayish brown (10YR 6/2), medium, dry, no odor 5.6-6': CLAY: Light grayish brown (10YR 6/2), medium, dry, no odor 6-7.7': SILTY CLAY: Light grayish brown (10YR 6/2), medium, dry, no odor 7.7-8': NO RECOVERY
10			4.0/4.0	Top: 1.10 Middle: 0.14 Bottom: 0.65	8-10: 0.0 10-12: 0.0	8-12	8-9.3': SILTY CLAY: Pale brown (10YR 6/3), stiff, dry, no odor 9.3-11.3': SILTY SAND: Pale brown (10YR 6/3), loose, wet, no odor 11.3-12': SILTY CLAY: Pale brown (10YR 6/3), medium, damp, no odor, Mn staining, orange mottling
15			4.0/4.0	Top: 0.90 Middle: 1.04 Bottom: 0.96	12-14: 0.0 14-16: 0.0	12-16	12-16': SILTY CLAY: Pale brown (10YR 6/3), alternating soft and stiff, damp, poorly sorted, no odor
20							
25							
30							



# ERM Environmental Resources Management

Boring/Well No.: MW-4

Project: HC Drew Manual Estate 15 No. 1 Project No.: 0494259

Location: Calcasieu Parish, Louisiana Coordinates: UTM 15N 454047.49, 3340237.88

Surface Elev.: 12.67' Boring T.D.: 16' Boring Dia.: 3.25"


Date Started: 9/8/2021 Date Completed: 9/8/2021 Well Dia./Materials: 1" Prepack PVC

Drilling Company: Walker-Hill Environmental Driller: Jacob Stocksdale

Drilling Method: Direct Push Geoprobe Grouting Method: Portland Cement

Logged by: Michael Goodman, GIT Soil Sample Method: Acetate Liner

DEPTH (FEET)	LITHOLOGY (GRAPHIC LOG)	WELL CONSTRUCTION	SAMPLE RECOVERY (FEET/FEET)	FIELD EC (mS/cm)	PID (PPMV)	DESCRIPTION INTERVAL (FEET)	SOIL DESCRIPTION
0			3.1/4.0	Top: 0.73 Bottom: 1.59	0-2: 0.0 2-4: 0.0	0-4	0-0.7': GRAVEL: 0.7-3.1': CLAY: Very dark brown (10YR 2/2), stiff, dry, plastic, no odor, transition to 10YR 5/3 at bottom with yellow mottling  3.1-4': NO RECOVERY
5			4.0/4.0	Top: 1.36 Middle: 1.32 Bottom: 1.11	4-6: 0.0 6-8: 0.0	4-8	4-8': CLAY: Grayish brown (10YR 5/2), stiff, dry, plastic, no odor, yellow mottling
10			4.0/4.0	Top: 0.31 Middle: 0.38 Bottom: 1.12	8-10: 0.0 10-12: 0.0	8-12	8-9.2': SILTY CLAY: Brown (10YR 5/3), stiff, dry, no odor 9.2-9.5': SILTY CLAY: Dark gray (10YR 4/1), very soft, slight odor 9.5-10.1': CLAYEY SILT: Brown (10YR 5/3), stiff, packed damp, no odor 10.1-11.5': SANDY SILT: Yellowish brown (10YR 5/6), firm, wet, no odor 11.5-12': CLAYEY SILT: Light yellowish brown (10YR 6/4), moist, no odor, with sand
15			3.7/4.0	Top: 1.55 Middle: 2.06 Bottom: 1.78	12-14: 0.0 14-16: 0.0	12-16	12-16': SILTY CLAY: Pale brown (10YR 6/3), medium to stiff, moist, no odor, poorly sorted, CaCO <sub>3</sub> nodules at 14'
20							
25							
30							



# ERM Environmental Resources Management

Boring/Well No.: SE-SB09R

Project: HC Drew Manual Estate 15 No. 1 Project No.: 0494259

Location: Calcasieu Parish, Louisiana Coordinates: UTM 15N 454060, 3340267

Surface Elev.: NM Boring T.D.: 12' Boring Dia.: 3.25"

Date Started: 9/9/2021 Date Completed: 9/9/2021 Well Dia./Materials: NA


Drilling Company: Walker-Hill Environmental Driller: Jacob Stocksdale

Drilling Method: Direct Push Geoprobe Grouting Method: Portland Cement

Logged by: Michael Goodman, GIT Soil Sample Method: Acetate Liner

DEPTH (FEET)	LITHOLOGY (GRAPHIC LOG)	SAMPLE RECOVERY (FEET/FEET)	FIELD EC (mS/cm)	PID (PPMV)	DESCRIPTION INTERVAL (FEET)	SOIL DESCRIPTION
0		2.2/4.0	Top: 1.97 Bottom: 1.08	0-2: 0.0 2-4: 5.7	0-4	0-0.8': GRAVEL: Top soil and gravel 0.8-1.7': CLAY: Very dark grayish brown (10YR 3/2), medium, dry, no odor 1.7-2.2': CLAY: Very dark grayish brown (10YR 3/2), soft, dry, slight odor 2.2-4': NO RECOVERY
5		2.3/4.0	Top: 1.02 Bottom: 1.99	4-6: 34.1 6-8: 14.3	4-8	4-4.2': SILTY CLAY: Dark grayish brown (10YR 4/2), medium, damp, plastic, odor present 4.2-4.7': GRAVEL: rock with odor 4.7-5.8': SILTY CLAY: Dark gray (10YR 4/1), soft, moist, odor 5.8-6.3': CLAY: Gray (10YR 6/1), stiff, dry, no odor 6.3-8': NO RECOVERY
10		4.0/4.0	Top: 1.06 Middle: 0.56 Bottom: 1.20	8-10: 0.3 10-12: 0.1	8-12	8-8.9': SILTY CLAY: Gray (10YR 6/1), stiff, dry, no odor, Mn nodules 8.9-10.7': SILTY SAND: Dark yellowish brown (10YR 4/4), loose, wet, no odor 10.7-12': SILTY CLAY: Brownish yellow (10YR 6/6), soft to medium, damp, no odor, poorly sorted
15						
20						
25						
30						





# ERM Environmental Resources Management

Boring/Well No.: SE-SB19R

Project: HC Drew Manual Estate 15 No. 1 Project No.: 0494259

Location: Calcasieu Parish, Louisiana Coordinates: UTM 15N 454026, 3340231

Surface Elev.: NM Boring T.D.: 24' Boring Dia.: 3.25"


Date Started: 9/8/2021 Date Completed: 9/8/2021 Well Dia./Materials: NA

Drilling Company: Walker-Hill Environmental Driller: Jacob Stocksdale

Drilling Method: Direct Push Geoprobe Grouting Method: Portland Cement

Logged by: Michael Goodman, GIT Soil Sample Method: Acetate Liner

DEPTH (FEET)	LITHOLOGY (GRAPHIC LOG)	SAMPLE RECOVERY (FEET/FEET)	FIELD EC (mS/cm)	PID (PPMV)	DESCRIPTION INTERVAL (FEET)	SOIL DESCRIPTION
0			Top: 2.92 Middle: 1.56 Bottom: 1.92	0-2: 0.1 2-4: 0.0	0-4	0-1.9': SILTY CLAY: Dark gray (10YR 4/1), very stiff, dry, no odor 1.9-3.5': CLAY: Light yellowish brown (2.5YR 6/3), stiff, dry, high plasticity, no odor 3.5-4': NO RECOVERY
5		4.0/4.0	Top: 1.92 Middle: 1.86 Bottom: 1.75	4-6: 0.0 6-8: 0.0	4-8	4-8': CLAY: Light brownish gray (2.5YR 6/2), stiff, dry, plastic, no odor, Mn streaks and orange mottling, some silt in bottom 2'
10		4.0/4.0	Top: 1.36 Middle: 1.17 Bottom: 2.83	8-10: 0.2 10-12: 0.0	8-12	8-8.7': CLAY: Light brownish gray (2.5YR 6/2), stiff, dry, plastic, no odor, Mn streaks and orange mottling 8.7-9.5': SILT: Yellowish brown (10YR 5/4), loose, wet, no odor 9.5-10.2': SILTY CLAY: Light brownish gray (10YR 6/2), medium, damp, no odor 10.2-11': SILTY SAND: Brownish yellow (10YR 6/6), firm, wet, no odor 11-12': SILTY CLAY: Pale brown (10YR 6/3), medium, moist, no odor, orange mottling and Mn streaks
15		4.0/4.0	Top: 3.56 Middle: 3.95 Bottom: 4.25	12-14: 0.0 14-16: 0.0	12-16	12-16': CLAY: Yellowish brown (10YR 5/6), soft, damp, no odor, some CaCO <sub>3</sub> and Mn nodules
20		4.0/4.0	Top: 3.45 Middle: 3.13 Bottom: 2.81	16-18: 0.0 18-20: 0.0	16-20	16-20': CLAY: Dark yellowish brown (10YR 4/4), stiff, dry, plastic, no odor, many colors and mottling, little CaCO <sub>3</sub>
25		4.0/4.0	Top: 2.70 Middle: 2.74 Bottom: 2.78	20-22: 0.1 22-24: 0.0	20-24	20-24': CLAY: Dark yellowish brown (10YR 4/6), stiff to very stiff, dry, high plasticity, no odor, light gray and orange mottling
30						



# ERM Environmental Resources Management

Boring/Well No.: SS-1

Project: HC Drew Manual Estate 15 No. 1 Project No.: 0494259

Location: Calcasieu Parish, Louisiana Coordinates: UTM 15N 454059, 3340279

Surface Elev.: NM Boring T.D.: 4' Boring Dia.: 3.25"


Date Started: 9/9/2021 Date Completed: 9/9/2021 Well Dia./Materials: NA

Drilling Company: Walker-Hill Environmental Driller: Jacob Stocksdale

Drilling Method: Direct Push Geoprobe Grouting Method: Portland Cement

Logged by: Michael Goodman, GIT Soil Sample Method: Acetate Liner

DEPTH (FEET)	LITHOLOGY (GRAPHIC LOG)	SAMPLE RECOVERY (FEET/FEET)	FIELD EC (mS/cm)	PID (PPMV)	DESCRIPTION INTERVAL (FEET)	SOIL DESCRIPTION
0		2.8/4.0	Top: 2.20 Bottom: 1.18	0-2: 0.1 2-4: 0.0	0-4	0-0.8': SILTY CLAY: Yellowish brown (10YR 6/3), stiff, dry, no odor 0.8-2.8': CLAY: Very dark gray (10YR 3/1), stiff, dry, plastic, no odor, some gravel near top 2.8-4': NO RECOVERY
5						
10						
15						
20						
25						
30						



# ERM Environmental Resources Management

Boring/Well No.: SS-2

Project: HC Drew Manual Estate 15 No. 1 Project No.: 0494259

Location: Calcasieu Parish, Louisiana Coordinates: UTM 15N 454025, 3340257


Surface Elev.: NM Boring T.D.: 4' Boring Dia.: 3.25"

Date Started: 9/8/2021 Date Completed: 9/8/2021 Well Dia./Materials: NA

Drilling Company: Walker-Hill Environmental Driller: Jacob Stocksdale

Drilling Method: Direct Push Geoprobe Grouting Method: Portland Cement

Logged by: Michael Goodman, GIT Soil Sample Method: Acetate Liner

DEPTH (FEET)	LITHOLOGY (GRAPHIC LOG)	SAMPLE RECOVERY (FEET/FEET)	FIELD EC (mS/cm)	PID (PPMV)	DESCRIPTION INTERVAL (FEET)	SOIL DESCRIPTION
0		2.8/4.0	Top: 1.62 Bottom: 1.41	0-1: 0.0 1-2: 0.0 2-3: 0.0	0-4	0-2.2': SILTY CLAY: Dark grayish brown, (10YR 4/2), stiff, dry, plastic, no odor  2.2-2.8': CLAY: Light brownish gray (10YR 6/2), stiff, dry, plastic, no odor 2.8-4': NO RECOVERY
5						
10						
15						
20						
25						
30						